



721 Cortaro Dr.
Sun City Center, FL 33573
www.acslabtest.com
DEA No. RA0447222
CLIA No. 10D1094068

CHILL MAX
Sample Matrix:
Drug Safety

Certificate of Analysis

Drug Safety

Client Information:

FLAME USA

2500 E Imperial HWY Ste 149A-257

BREA, CA 92821

Order # ACS240214-040001

Order Date: 2024-02-14

Sample # AAFH674

Batch # 19355

Batch Date: 2024-02-14

Sampling Date: 2024-02-14

Lab Batch Date: 2024-02-14

Orig. Completion Date: 2024-02-21

Seed to Sale # NA

Lot ID: NA

Cultivars: NA

Test Reg State: Florida

Cultivation Facility: NA

Production Facility: NA

Production Date: 2024-02-14

Initial Gross Weight: 12.331 g

Statement of Amendment: Report format



Drug Safety
Passed

Product Image

Drug Safety

Specimen Weight: 297.610 mg

Passed
SOP 13.063 (Drug Safety)

Dilution Factor: 10.000

Analyte	Value (%)	Flag	Action Level (%)	Analyte	Value (%)	Flag	Action Level (%)
2-Hydroxyethylflurazepam		Not Detected	0.00032	Meperidine		Not Detected	0.0004
6-Acetyl morphine		Not Detected	0.00064	Meprobamate		Not Detected	0.0008
6Beta-Naltrexol		Not Detected	0.0008	Methadone		Not Detected	0.0008
7-Aminoclonazepam		Not Detected	0.00064	Methamphetamine		Not Detected	0.0008
Acetyl fentanyl		Not Detected	3.0E-5	Methylphenidate		Not Detected	8.0E-5
Alpha hydroxy alprazolam		Not Detected	0.00064	Morphine		Not Detected	0.0028
Alprazolam		Not Detected	0.00016	Naltrexone		Not Detected	0.0008
Amphetamine		Not Detected	0.0008	Norbuprenorphine		Not Detected	0.0012
Benzylecgonine		Not Detected	0.0004	Nordiazepam		Not Detected	0.00016
Buprenorphine		Not Detected	0.00016	Norfentanyl		Not Detected	0.00016
Carisoprodol		Not Detected	0.0008	Norhydrocodone		Not Detected	0.0004
Clonazepam		Not Detected	0.00032	Norketamine		Not Detected	0.00024
Codeine		Not Detected	0.0008	Normeperidine		Not Detected	0.0004
Cotinine		Not Detected	0.0004	Noroxycodone		Not Detected	0.0004
Cyclobenzaprine		Not Detected	0.0004	Norpropoxyphene		Not Detected	0.0032
Diazepam		Not Detected	0.00016	Oxazepam		Not Detected	0.0004
EDDP		Not Detected	0.0008	Oxymorphone		Not Detected	0.0012
Fentanyl		Not Detected	3.0E-5	PCP		Not Detected	8.0E-5
Flunitrazepam		Not Detected	0.00032	Pentazocine		Not Detected	0.00032
Flurazepam		Not Detected	0.00032	Phentermine		Not Detected	0.004
Gabapentin		Not Detected	0.008	Pregabalin		Not Detected	0.008
Hydrocodone		Not Detected	0.0004	Propoxyphene		Not Detected	0.0008
Hydromorphone		Not Detected	0.0008	Ritalinic acid		Not Detected	0.0004
Ketamine		Not Detected	0.00024	Tapentadol		Not Detected	0.0004
Lorazepam		Not Detected	0.00032	Temazepam		Not Detected	0.00016
MDA		Not Detected	0.0008	Tramadol		Not Detected	0.0008
MDEA		Not Detected	0.0008	Zolpidem		Not Detected	0.00032
MDMA		Not Detected	0.0008	Zolpidem phenyl-4-carboxylic		Not Detected	0.0004

Prep. By: 1232 Date: 2024-02-21 14:53:45

Analyzed By: 1050 Date: 2024-02-21 14:53:45

Reviewed By: 1050 Date: 2024-02-21 16:31:30

Lab Batch #: AAFH674-510 Date: 2024-02-21 16:31:30

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions and Abbreviations used in this report: Cutoff = lab established limit Revised report- see statement of amendment above.

This report shall not be reproduced, without written approval, from American Clinical Solutions, LLC. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. American Clinical Solutions, LLC is accredited to the ISO/IEC 17025:2017 Standard.

